Description	Page/Attachment #	Action Required/Recommendations/Comments (EMSA ONLY)
Why Is Lead Poisoning an Issue?		
One of the most common and preventable environmental illnesses among 1-6 year olds		
In CA, blood testing at 5 mcg/dL is considered elevated, but there is no safe level		
Health Effects of Lead Poisoning		
Children are more vulnerable to its toxic effects		
Lead can limit a child's intellectual & physical development		
Anemia and lead poisoning may occur together		
How Do I Know If a Child is Poisoned?		
Most lead-poisoned children do not look or act sick		
Testing is the ONLY way to know		
Blood lead tests should be done at 12 & 24 mo in publicly funded programs (e.g., Medi-Cal, CHDP, WIC)		
All other children should be assessed at every well child visit to healthcare provider up to age 6		
Common Sources of Lead		
Paint in homes built before 1978		
Chipping, peeling paint and house dust		

High-friction areas (windows, doors, railings)	
Vinyl mini blinds	
Bare dirt, artificial play surfaces (artificial turf, rubber mulch)	
Other Sources of Lead	
Dust on work clothing & shoes, e.g., from construction,	
automotive, manufacturing	
Activities, e.g., arts & crafts (solder, paint, glazes), shooting	
firearms (bullets), fishing (lead sinkers)	
Imported foods, e.g., candy, spices, seasonings	
Many consumer products, e.g., pottery, water crocks,	
furnishings, clothing, jewelry, home remedies, makeup	
Toys, e.g., old, painted, plastic, vinyl, or imported	
roys, e.g., old, painted, plastic, viriyi, or imported	
Water from wells or from pipes that contain lead	
What Can Providers Do to Protect Children?	
Give parents/guardians information, encourage screening	
(HSC 1596.7996 requires child care centers and family child	
care to give parents lead poisoning info)	
Promote good nutrition	
Reduce lead exposure in your facility	
Reducing Environmental Exposure to Lead	
Regularly wash surfaces, toys, pacificers, etc.	
Check toys & equipment for poor condition of paint	

Remove toys, equipment, dishware, or supplies (especially old or imported) unless known to be lead-free (must be tested to be sure)	
Check Consumer Product Safety Commission for recalls (https://www.cpsc.gov/Recalls)	
Reducing Environmental Exposure: Inspections	
Monthly inspections of:	
Chipping, peeling, cracking, failing paint	
Bare dirt, artificial play surfaces	
Other sources of exposure, e.g., move cribs away from wall, check toys for damage	
Reducing Exposure in Child Care Setting	
Hands can carry lead dustalways wash children's hands:	
Before and after eating	
After playtime	
Before sleeping (especially thumb suckers)	
Lead in Tap Water	
Most CA water doesn't have lead	
BUT only way to be sure is to test water (Note: AB 2370 requires testing for child care centers built before January 1, 2010. See DSS PIN 20-01-CCP)	
Call local Childhood Lead Poisoning Prevention Program for testing information and requirements	

To reduce lead in tap water: Before use, run water until feels coldest30 sec to few min, longer for first use after 6 hours Use only cold tap water for cooking, drinking and mixing baby formula	
Properly install and replace filters for filtered water	
Lead and Nutrition	
A healthy diet (especially foods rich in calcium, iron, and	
vitamin C) can help prevent lead absorption	
Painting, Repairing, or Remodeling Child Care Facility	
Potential risk of contamination if:	
Facility built before 1978	
Play yard exposed to heavy traffic or has old play surfaces (artificial turf, rubber mulch)	
Facility is near business using lead-based products	
Lead Testing	
Call local Childhood Lead Poisoning Prevention Program for testing information and requirements	
Have facility evaluated by a certified lead inspector	
Test any potential sources, e.g., paint, soil, artificial turf, water, equipment, toys, dishes	
Test kits for dishware/pottery available in hardware stores	
Lead Poisoning Prevention Checklist	
Resources for Further Information	